

estillon  
WE WILL IMPROVE YOUR FLOOR

# Hospitality Collection

Underlays and flooring accessories for hospitality, marine and other commercial applications



Underlays for  
carpet

Underlays for  
hard flooring

Fast levelling system  
floorfixx

# Underlays for carpet

Carpet is a popular flooring option. It is attractive, comfortable, and luxurious. If you want to achieve the best performance and long-lasting quality from your carpet, you need to install it with a quality underlay. The carpet underlays guarantee stable, sustainable installation, and enhance the perception of the carpet's luxury and comfort.

The carpet can be tensioned using the Smooth edge tensioning method or glued to a suitable underlay using the single or double stick method.



**Flamecheck 6 mm**  
IMO flame retardant underlay | Suitable for the double-stick and stretch-fit installation of carpets



**Oceanbase Contract FR 6 mm**  
IMO flame retardant underlay  
Excellent compression recovery capability



**Fenixbase 4/6/8 mm**  
IMO flame retardant underlay | Environmentally friendly production and 100% recycled



**Starbase 4/6/8/10 mm**  
Lightweight and easy to install  
Environmental friendly produced and 100% recycled material



**Elegance Black FR 6 mm**  
Very high pressure-recovery capacity | Environmental friendly produced and 100% recycled material





**Renu 6 mm**  
100% recyclable, completely sustainable, CO2 neutral | Excellent thermal insulation









**Egalsoft FR 6 mm**  
 Very good equalizing power  
 Removable system without damaging  
 the base floor



**Black Magic 6 mm**  
 Smoothing small unevennesses in the  
 subfloor | Especially suitable for floor heating



**Black Onyx 5/6,5/9 mm**  
 Stable base for installation and easy process  
 Smoothing small unevennesses in  
 the subfloor



**Black Pearl 5 mm**  
 Extremely suitable for underfloor heating  
 Smoothing small unevennesses in  
 the subfloor



**Black Diamond 6 mm**  
 Especially suitable for floor heating  
 Stable base for installation and easy process




# Underlays for LVT, wood and laminate

With the installation of LVT click, dry back or wooden flooring the application of the right underlay is essential. Especially in commercial area's where high standards are requested.

Estillon offers a complete set of underlays that can meet these requirements. Our underlays are timesaving by being fast and easy to install. Also they provide acoustic comfort, great stability and mask minor surface imperfections.



**Timbermate Excel 3,6 mm**  
Especially suitable for floor heating  
Specialist underlay for wood & laminate floors



**LVT Multi-Fit 1,5 mm**  
IMO flame retardant underlay | Improved noise reduction specifically designed for LVT flooring



**LVT Low-Grab 1,5 mm**  
Suitable for 'click fit' luxury vinyl tiles  
Considerably reduced installation times and costs



**LVT Dry-Back 1,8 mm**  
Suitable for 'dry back' luxury vinyl tiles  
Quick to fit, easy to work with





# Floorfixx fast levelling system

Floorfixx is the underlay for linoleum, cushion vinyl, LVT, click LVT, carpet, carpet tiles and engineered wood. These underlays allow you to create a new, insulating and flat underlay in a dry and easy way. Furthermore, these underlays can bear load immediately, there is no need to wait until the underlay is dry. This is a major advantage compared to wet levelling. Timesaving, simple and clean.

- Fast levelling system
- Immediately ready to finish your floor
- Simple to install as a floating system
- Reduces noise (10 dB  $\Delta$ L<sub>in</sub>/23 dB  $\Delta$ L<sub>w</sub>)



## Floorfixx regular 9 mm

Renovation of poor basic floors  
No waiting or drying time and it can bear load immediately



## Floorfixx comfort 10 mm

Suitable for underfloor heating and floor cooling due | No waiting or drying time and it can bear load immediately



## Floorfixx optimum 8 mm

Rapid installation due to self-adhesive layer  
No use of traditional glue



## Why we advise to use Estillon underlays and subfloors?

The decision to install new or replace existing floor covering involves a significant investment. Estillon's underlays and subfloors will help to keep your floor covering in a good condition to enjoy the maximum life span of the floor covering.

Whether you buy, sell or install floor covering, it is important to know that a good quality underlay contributes to a durable and longer life span of the original appearance, maintaining the conditions and increase the experience of comfort and luxury.

Furthermore underlay has very good sound reducing and insulating properties, it will save your energy and cost reducing. We offer various underlays that are suitable for underfloor heating. We have an extensive range of underlays with fire-resistant properties. All equipped with the necessary certificates. Estillon will be more than happy to guide you to the underlay which suits your application best.

- Extends the life span of your floor covering
- Sound reducing
- Equalization
- Sustainable
- Cost reducing and saving
- Contributes greatly to comfort and luxury
- Fire retardant

Estillon is a leading player in the underlay market. For us, excellent service, quality, innovation and reliability are top priorities. The extensive product knowledge and specialist skills of Estillon employees enable us to provide professional advice.

For an overview of various prominent projects in which Estillon products have been installed visit our website: [www.estillon.com/projects](http://www.estillon.com/projects)



## Technical Specifications

Product name	Thickness	Weight in gr/m <sup>2</sup>	Type	Fire retardancy	Installation method	Impact sound reduction	DIBt cert.
Starbase	4/8/10 mm	640/1280/1600	Recycled rebond polyurethane foam	BFL-S1	DS / SF	25/29/31 dB Δlw	x
Starbase	6 mm	960	Recycled rebond polyurethane foam	CFL-S1	DS / SF	27 dB Δlw	x
Elegance Black FR	6 mm	1360	Recycled rebond polyurethane foam	BFL-S1	DS / SF	25 dB Δlw	x
Renu	6 mm	1044	Recycled rebond polyurethane foam	BFL-S1	DS / SF	35 dB Δlw	
Flamecheck	6 mm	928	Recycled rebond polyurethane foam	IMO	DS / SF	35 dB Δlw	
Oceanbase Contract FR	6 mm	909	Recycled rebond polyurethane foam	IMO	DS / SF	28 dB ΔLw	
Fenixbase	4/6/8 mm	666/866/1133	Recycled rebond polyurethane foam	IMO	DS / SF	24/27/29 dB ΔLw	
Egalsoft FR	6 mm	900	PES non-woven fleece, needle felt with a self-adhesive non-slip layer	BFL-S1	SS / FS	27 dB Δlw	x
Black Magic	6 mm	3500	100% SBR rubber	BFL-S1	DS / SF	25 dB Δlw	
Black Onyx	5/6,5/9 mm	2000/2698/4000	Latex bonded crumb rubber	BFL-S1	DS / SF	26/30/35 DB Δlw	
Black Pearl	5 mm	2700	Flat sponge rubber	BFL-S1	DS / SF	26 dB Δlw	
Black Diamond	6 mm	3000	Sponge rubber waffled	BFL-S1	DS / SF	25 dB Δlw	
LVT Multi-Fit	1,5 mm	2500	Sponge rubber	IMO	FF / SS / DS	44 dB Δlw	
LVT Low-Grab	1,5 mm	1500	Sponge rubber	BFL-S1	FF	17 dB Δlw	x
LVT Dry-Back	1,8 mm	2600	Sponge rubber	BFL-S1	FF	15 dB Δlw	
Timbermate Excel	3,6 mm	2545	Sponge rubber	CFL-S1	FF	23 dB Δlw	
Floorfixx regular	9 mm	6050	MDF, XPS foam	BFL-S1	FF	22 dB Δlw	x
Floorfixx comfort	10 mm	6900	MDF, pierced polyethylene	BFL-S1	FF	20 dB Δlw	x
Floorfixx optimum	8 mm	4843	MDF, XPS foam, self-adhesive layer	BFL-S1	FF	21 dB Δlw	

DS = Double Stick SF = Stretch Fit SS = Single Stick FF= Floating Floor

Warranty for all products: for the life time of the floor covering

### We choose green, what's your choice?

Estillon recognizes our social and environmental responsibility. Therefore, we are dedicated to constantly improving our performance towards a sustainable future. Estillon has committed itself to integrate enlightened, environmental practice and sustainability principles within all aspects of our business strategy.



On our website [www.estillon.com/CSR](http://www.estillon.com/CSR) you will find more information about Corporate Social Responsibility, our initiatives, reduction plans, and certificates.



# About Estillon

- Over 50 years of experience
- An extensive selection of flooring systems, carpet underlays and tools
- Well-known brands such as Egalsoft, Best Base, Floorfixx and Roberts
- Specialised expertise, professional service and innovative products
- Supplies wholesalers, hotel chains, casinos, theatres, cruise ships, mosques, offices
- The products are successfully distributed by sales partners and agencies throughout the world
- Estillon is official partner of Quiet room® label for hotels



## Roberts Tools & Accessories

Having the right tools makes all the difference. This certainly applies when preparing to install floor covering. Each type of floor covering requires specialist tools.

Estillon has professional “Roberts-brand” tools in its assortment for all of these various types of floor coverings. Consider glue, for example, or laminate shears, knee kickers, carpet tape and complete toolboxes.



On our website [www.estillon.com](http://www.estillon.com) you will find information about our assortment, technical datasheets, test results, installation videos and references.



### Estillon B.V.

Linie 25  
5405 AR Uden  
The Netherlands  
**T** +31 (0)413 42 74 27  
**F** +31 (0)413 42 74 28  
**E** [info@estillon.nl](mailto:info@estillon.nl)  
**I** [www.estillon.com](http://www.estillon.com)

### Estillon GmbH

Fössestrasse 77c  
D-30451 Hannover  
Germany  
**T** +49 (0)511/353639-38  
**F** +49 (0)511/353639-37  
**E** [info@estillon.de](mailto:info@estillon.de)  
**I** [www.estillon.de](http://www.estillon.de)

### Estillon S.A.R.L.

64 Rue Claude Chappe  
78370 Plaisir  
France  
**T** +33 (0)1 30 54 23 46  
**F** +33 (0)1 30 54 06 29  
**E** [info@estillon.fr](mailto:info@estillon.fr)  
**I** [www.estillon.fr](http://www.estillon.fr)



Estillon is part of  interfloor Group Limited

Underlays for  
carpet

Underlays for  
hard flooring

Fast levelling system  
floorfixx